

4 室用

エアコンだけを接続する場合

室内機の合計能力は13.6kW以下

※室外機の最大能力とは異なります。

※全室合計の長さが30mをこえる場合、こえる長さ1m当り20gの冷媒追加充填が必要です。

■4M803AV (暖房)

室内機組合せ	暖房能力(外気7℃)(kW)					暖房低温能力(外気2℃)(kW)					電気特性		
	A室	B室	C室	D室	合計能力	A室	B室	C室	D室	合計能力	運転電流(A) (最大)	消費電力(W)	
1室	2.2	3.20	7.1~8.8			3.20(2.47~4.86)	3.52			3.52	3.2(5.6)	640(470~1100)	
	2.8	4.00	8.8~11.0			4.00(2.47~4.86)	3.52			3.52	4.2(5.6)	840(470~1100)	
	3.6	5.00	11.0~13.8			5.00(2.47~5.95)	4.31			4.31	5.8(7.5)	1140(470~1480)	
	4.0	5.60	12.3~15.4			5.60(2.47~7.49)	5.42			5.42	6.7(10.6)	1330(470~2080)	
	5.0	7.10	15.6~19.6			7.10(2.47~8.25)	5.98			5.98	9.5(12.2)	1880(470~2410)	
	5.6	7.70	17.0~21.2			7.70(2.47~8.26)	5.98			5.98	10.9(12.1)	2150(470~2390)	
2室	2.2+2.2	3.26	7.2~9.0	3.26	7.2~9.0	6.51(2.48~9.49)	3.44	3.44		6.88	7.5(12.9)	1490(470~2540)	
	2.2+2.8	3.26	7.2~9.0	4.14	9.1~11.4	7.40(2.48~9.49)	3.03	3.85		6.88	9.2(12.9)	1820(470~2540)	
	2.2+3.6	3.06	6.7~8.4	5.00	11.0~13.8	8.06(2.48~9.80)	2.69	4.41		7.10	10.4(13.7)	2060(470~2700)	
	2.2+4.0	2.98	6.6~8.2	5.41	11.9~14.9	8.39(2.48~9.80)	2.52	4.58		7.10	10.9(13.7)	2160(470~2700)	
	2.2+5.0	2.82	6.2~7.8	6.41	14.1~17.7	9.23(3.21~11.29)	2.50	5.68		8.18	12.6(17.3)	2500(590~3410)	
	2.2+5.6	2.65	5.8~7.3	6.75	14.9~18.6	9.40(3.29~11.30)	2.31	5.88		8.19	12.8(17.2)	2540(630~3390)	
	2.8+2.8	3.95	8.7~10.9	3.95	8.7~10.9	7.89(2.48~9.77)	3.54	3.54		7.08	9.9(13.7)	1970(470~2710)	
	2.8+3.6	3.75	8.3~10.3	4.81	10.6~13.3	8.56(2.48~10.54)	3.34	4.30		7.64	11.5(15.5)	2270(470~3050)	
	2.8+4.0	3.66	8.1~10.1	5.23	11.5~14.4	8.89(2.48~10.54)	3.15	4.49		7.64	12.0(15.4)	2370(470~3040)	
	2.8+5.0	3.37	7.4~9.3	6.03	13.3~16.6	9.40(3.22~11.29)	2.94	5.24		8.18	13.1(17.3)	2600(590~3410)	
	2.8+5.6	3.13	6.9~8.6	6.27	13.8~17.3	9.40(3.30~11.73)	2.83	5.67		8.50	12.8(18.4)	2540(630~3640)	
	3.6+3.6	4.62	10.2~12.7	4.62	10.2~12.7	9.23(2.55~11.29)	4.09	4.09		8.18	12.8(17.6)	2530(470~3470)	
	3.6+4.0	4.45	9.8~12.3	4.95	10.9~13.6	9.40(3.21~11.30)	3.88	4.31		8.19	13.3(17.5)	2630(600~3460)	
	3.6+5.0	3.93	8.7~10.8	5.47	12.1~15.1	9.40(3.24~11.74)	3.56	4.95		8.51	12.8(18.5)	2540(590~3650)	
	3.6+5.6	3.68	8.1~10.1	5.72	12.6~15.8	9.40(3.32~11.90)	3.37	5.25		8.62	12.8(18.7)	2530(630~3690)	
	4.0+4.0	4.70	10.4~12.9	4.70	10.4~12.9	9.40(3.24~11.29)	4.09	4.09		8.18	13.3(17.5)	2630(590~3450)	
	4.0+5.0	4.18	9.2~11.5	5.22	11.5~14.4	9.40(3.27~11.74)	3.78	4.73		8.51	12.8(18.4)	2540(590~3640)	
	4.0+5.6	3.92	8.6~10.8	5.48	12.1~15.1	9.40(3.35~11.90)	3.59	5.03		8.62	12.7(18.6)	2520(630~3680)	
5.0+5.0	4.70	10.4~12.9	4.70	10.4~12.9	9.40(3.55~11.90)	4.31	4.31		8.62	12.6(18.4)	2500(660~3640)		
5.0+5.6	4.43	9.8~12.2	4.97	11.0~13.7	9.40(3.63~12.19)	4.17	4.66		8.83	12.6(19.2)	2490(690~3800)		
5.6+5.6	4.70	10.4~12.9	4.70	10.4~12.9	9.40(3.71~12.35)	4.48	4.48		8.95	12.5(19.4)	2480(690~3840)		
3室	2.2+2.2+2.2	2.91	6.4~8.0	2.91	6.4~8.0	2.91	6.4~8.0			2.91	6.4~8.0		
	2.2+2.2+2.8	2.82	6.2~7.8	2.82	6.2~7.8	3.59	7.9~9.9			3.59	7.9~9.9		
	2.2+2.2+3.6	2.59	5.7~7.1	2.59	5.7~7.1	4.22	9.3~11.6			4.22	9.3~11.6		
	2.2+2.2+4.0	2.46	5.4~6.8	2.46	5.4~6.8	4.48	9.9~12.3			4.48	9.9~12.3		
	2.2+2.2+5.0	2.20	4.8~6.1	2.20	4.8~6.1	5.00	11.0~13.8			5.00	11.0~13.8		
	2.2+2.2+5.6	2.07	4.6~5.7	2.07	4.6~5.7	5.26	11.6~14.5			5.26	11.6~14.5		
	2.2+2.8+2.8	2.66	5.9~7.3	3.37	7.4~9.3	3.37	7.4~9.3			3.37	7.4~9.3		
	2.2+2.8+3.6	2.40	5.3~6.6	3.06	6.7~8.4	3.94	8.7~10.9			3.94	8.7~10.9		
	2.2+2.8+4.0	2.30	5.1~6.3	2.92	6.4~8.0	4.18	9.2~11.5			4.18	9.2~11.5		
	2.2+2.8+5.0	2.07	4.6~5.7	2.63	5.8~7.2	4.70	10.4~12.9			4.70	10.4~12.9		
	2.2+2.8+5.6	1.95	4.3~5.4	2.48	5.5~6.8	4.97	11.0~13.7			4.97	11.0~13.7		
	2.2+3.6+3.6	2.20	4.8~6.1	3.60	7.9~9.9	3.60	7.9~9.9			3.60	7.9~9.9		
	2.2+3.6+4.0	2.11	4.7~5.8	3.45	7.6~9.5	3.84	8.5~10.6			3.84	8.5~10.6		
	2.2+3.6+5.0	1.91	4.2~5.3	3.13	6.9~8.6	4.36	9.6~12.0			4.36	9.6~12.0		
	2.2+3.6+5.6	1.81	4.0~5.0	2.97	6.5~8.2	4.62	10.2~12.7			4.62	10.2~12.7		
	2.2+4.0+4.0	2.02	4.5~5.6	3.69	8.1~10.2	3.69	8.1~10.2			3.69	8.1~10.2		
	2.2+4.0+5.0	1.85	4.1~5.1	3.36	7.4~9.3	4.19	9.2~11.5			4.19	9.2~11.5		
	2.2+4.0+5.6	1.75	3.9~4.8	3.19	7.0~8.8	4.46	9.8~12.3			4.46	9.8~12.3		
	2.2+5.0+5.0	1.70	3.7~4.7	3.85	8.5~10.6	3.85	8.5~10.6			3.85	8.5~10.6		
	2.2+5.0+5.6	1.62	3.6~4.5	3.67	8.1~10.1	4.11	9.1~11.3			4.11	9.1~11.3		
	2.2+5.6+5.6	1.54	3.4~4.2	3.93	8.7~10.8	3.93	8.7~10.8			3.93	8.7~10.8		
	2.8+2.8+2.8	3.13	6.9~8.6	3.13	6.9~8.6	3.13	6.9~8.6			3.13	6.9~8.6		
	2.8+2.8+3.6	2.86	6.3~7.9	2.86	6.3~7.9	3.68	8.1~10.1			3.68	8.1~10.1		
	2.8+2.8+4.0	2.74	6.0~7.5	2.74	6.0~7.5	3.92	8.6~10.8			3.92	8.6~10.8		
	2.8+2.8+5.0	2.48	5.5~6.8	2.48	5.5~6.8	4.44	9.8~12.2			4.44	9.8~12.2		
	2.8+2.8+5.6	2.35	5.2~6.5	2.35	5.2~6.5	4.70	10.4~12.9			4.70	10.4~12.9		
	2.8+3.6+3.6	2.64	5.8~7.3	3.38	7.4~9.3	3.38	7.4~9.3			3.38	7.4~9.3		
	2.8+3.6+4.0	2.53	5.6~7.0	3.25	7.2~9.0	3.62	8.0~10.0			3.62	8.0~10.0		
	2.8+3.6+5.0	2.31	5.1~6.4	2.97	6.5~8.2	4.12	9.1~11.3			4.12	9.1~11.3		
	2.8+3.6+5.6	2.19	4.8~6.0	2.82	6.2~7.8	4.39	9.7~12.1			4.39	9.7~12.1		
	2.8+4.0+4.0	2.44	5.4~6.7	3.48	7.7~9.6	3.48	7.7~9.6			3.48	7.7~9.6		
	2.8+4.0+5.0	2.23	4.9~6.1	3.19	7.0~8.8	3.98	8.8~11.0			3.98	8.8~11.0		
	2.8+4.0+5.6	2.12	4.7~5.8	3.03	6.7~8.3	4.25	9.4~11.7			4.25	9.4~11.7		
	2.8+5.0+5.0	2.06	4.5~5.7	3.67	8.1~10.1	3.67	8.1~10.1			3.67	8.1~10.1		
	2.8+5.0+5.6	1.96	4.3~5.4	3.51	7.7~9.7	3.93	8.7~10.8			3.93	8.7~10.8		
	3.6+3.6+3.6	3.13	6.9~8.6	3.13	6.9~8.6	3.13	6.9~8.6			3.13	6.9~8.6		
	3.6+3.6+4.0	3.02	6.7~8.3	3.02	6.7~8.3	3.36	7.4~9.3			3.36	7.4~9.3		
	3.6+3.6+5.0	2.77	6.1~7.6	2.77	6.1~7.6	3.86	8.5~10.6			3.86	8.5~10.6		
	3.6+3.6+5.6	2.64	5.8~7.3	2.64	5.8~7.3	4.12	9.1~11.3			4.12	9.1~11.3		
	3.6+4.0+4.0	2.92	6.4~8.0	3.24	7.1~8.9	3.24	7.1~8.9			3.24	7.1~8.9		
	3.6+4.0+5.0	2.69	5.9~7.4	2.98	6.6~8.2	3.73	8.2~10.3			3.73	8.2~10.3		
	3.6+4.0+5.6	2.56	5.6~7.1	2.85	6.3~7.9	3.99	8.8~11.0			3.99	8.8~11.0		
	3.6+5.0+5.0	2.48	5.5~6.8	3.46	7.6~9.5	3.46	7.6~9.5			3.46	7.6~9.5		
	4.0+4.0+4.0	3.13	6.9~8.6	3.13	6.9~8.6	3.13	6.9~8.6			3.13	6.9~8.6		
	4.0+4.0+5.0	2.89	6.4~8.0	2.89	6.4~8.0	3.62	8.0~10.0			3.62	8.0~10.0		
	4.0+4.0+5.6	2.76	6.1~7.6	2.76	6.1~7.6	3.88	8.6~10.7			3.88	8.6~10.7		
	4室	2.2+2.2+2.2+2.2	2.35	5.2~6.5	2.35	5.2~6.5	2.35	5.2~6.5	2.35	5.2~6.5	2.35	5.2~6.5	
		2.2+2.2+2.2+2.8	2.20	4.8~6.1	2.20	4.8~6.1	2.80	6.2~7.7	2.80	6.2~7.7	2.80	6.2~7.7	
2.2+2.2+2.2+3.6		2.03	4.5~5.6	2.03	4.5~5.6	2.03	4.5~5.6	3.31	7.3~9.1	2.03	4.5~5.6		
2.2+2.2+2.2+4.0		1.95	4.3~5.4	1.95	4.3~5.4	3.55	7.8~9.8	3.55	7.8~9.8	1.95	4.3~5.4		
2.2+2.2+2.2+5.0		1.78	3.9~4.9	1.78	3.9~4.9	4.06	8.9~11.2	4.06	8.9~11.2	1.78	3.9~4.9		
2.2+2.2+2.2+5.6		1.70	3.7~4.7	1.70	3.7~4.7	4.30	9.5~11.8	4.30	9.5~11.8	1.70	3.7~4.7		
2.2+2.2+2.8+2.8		2.07	4.6~5.7	2.07	4.6~5.7	2.63	5.8~7.2	2.63	5.8~7.2	2.07	4.6~5.7		
2.2+2.2+2.8+3.6		1.95	4.3~5.4	1.95	4.3~5.4	3.55	7.8~9.8	3.55	7.8~9.8	1.95	4.3~5.4		
2.2+2.2+2.8+4.0		1.78	3.9~4.9	1.78	3.9~4.9	4.06	8.9~11.2	4.06	8.9~11.2	1.78	3.9~4.9		
2.2+2.2+2.8+5.0		1.70	3.7~4.7	1.70	3.7~4.7	4.30	9.5~11.8	4.30	9.5~11.8	1.70	3.7~4.7		
2.2+2.2+2.8+5.6	1.62	3.6~4.5	1.62	3.6~4.5	4.62	10.2~12.7	4.62	10.2~12.7	1.62	3.6~4.5			

4 室用

室内機組合せ	暖房能力(外気7℃)(kW)					暖房低温能力(外気2℃)(kW)					電気特性					
	A室	B室	C室	D室	合計能力	A室	B室	C室	D室	合計能力	運転電流(A) (最大)	消費電力(W)				
2.2+2.2+2.8+3.6	1.91	4.2~5.3	1.91	4.2~5.3	2.44	5.4~6.7	3.14	6.9~8.7	9.40(3.70~11.98)	1.77	1.77	2.25	2.89	8.68	11.0(15.8)	2170(670~3120)
2.2+2.2+2.8+4.0	1.85	4.1~5.1	1.85	4.1~5.1	2.35	5.2~6.5	3.35	7.4~9.2	9.40(3.94~12.12)	1.72	1.72	2.20	3.14	8.78	11.0(16.0)	2170(700~3160)
2.2+2.2+2.8+5.0	1.70	3.7~4.7	1.70	3.7~4.7	2.16	4.8~6.0	3.84	8.5~10.6	9.40(4.17~12.24)	1.60	1.60	2.04	3.63	8.87	10.9(16.2)	2160(760~3190)
2.2+2.2+2.8+5.6	1.62	3.6~4.5	1.62	3.6~4.5	2.06	4.5~5.7	4.10	9.0~11.3	9.40(4.25~12.23)	1.52	1.52	1.94	3.88	8.86	10.9(15.9)	2150(760~3130)
2.2+2.2+3.6+3.6	1.78	3.9~4.9	1.78	3.9~4.9	2.92	6.4~8.0	2.92	6.4~8.0	9.40(3.85~12.09)	1.66	1.66	2.72	2.72	8.76	11.0(16.1)	2170(700~3170)
2.2+2.2+3.6+4.0	1.72	3.8~4.7	1.72	3.8~4.7	2.82	6.2~7.8	3.14	6.9~8.7	9.40(4.06~12.08)	1.60	1.60	2.63	2.92	8.75	11.0(16.0)	2170(730~3160)
2.2+2.2+3.6+5.0	1.59	3.5~4.4	1.59	3.5~4.4	2.60	5.7~7.2	3.62	8.0~10.0	9.40(4.19~12.20)	1.50	1.50	2.45	3.39	8.84	10.9(15.9)	2160(760~3140)
2.2+2.2+3.6+5.6	1.52	3.3~4.2	1.52	3.3~4.2	2.49	5.5~6.9	3.87	8.5~10.7	9.40(4.27~12.16)	1.43	1.43	2.33	3.62	8.81	10.9(15.9)	2150(760~3130)
2.2+2.2+4.0+4.0	1.67	3.7~4.6	1.67	3.7~4.6	3.03	6.7~8.3	3.03	6.7~8.3	9.40(4.19~12.20)	1.57	1.57	2.85	2.85	8.84	10.9(16.2)	2160(760~3200)
2.2+2.2+4.0+5.0	1.54	3.4~4.2	1.54	3.4~4.2	2.81	6.2~7.7	3.51	7.7~9.7	9.40(4.21~12.16)	1.45	1.45	2.63	3.28	8.81	10.9(15.9)	2150(760~3130)
2.2+2.8+2.8+2.8	1.96	4.3~5.4	2.48	5.5~6.8	2.48	5.5~6.8	2.48	5.5~6.8	9.40(3.80~12.02)	1.81	2.30	2.30	2.30	8.71	11.0(16.1)	2170(670~3170)
2.2+2.8+2.8+3.6	1.81	4.0~5.0	2.31	5.1~6.4	2.31	5.1~6.4	2.97	6.5~8.2	9.40(3.93~12.13)	1.70	2.16	2.16	2.77	8.79	11.0(16.3)	2170(700~3220)
2.2+2.8+2.8+4.0	1.75	3.9~4.8	2.23	4.9~6.1	2.23	4.9~6.1	3.19	7.0~8.8	9.40(4.07~12.12)	1.64	2.08	2.08	2.98	8.78	11.0(16.0)	2170(730~3160)
2.2+2.8+2.8+5.0	1.62	3.6~4.5	2.06	4.5~5.7	2.06	4.5~5.7	3.66	8.1~10.1	9.40(4.20~12.23)	1.52	1.94	1.94	3.46	8.86	10.9(16.2)	2160(760~3190)
2.2+2.8+2.8+5.6	1.54	3.4~4.2	1.96	4.3~5.4	1.96	4.3~5.4	3.94	8.7~10.9	9.40(4.28~12.21)	1.45	1.85	1.85	3.70	8.85	10.9(15.9)	2150(760~3130)
2.2+2.8+3.6+3.6	1.70	3.7~4.7	2.16	4.8~6.0	2.77	6.1~7.6	2.77	6.1~7.6	9.40(4.04~12.24)	1.59	2.04	2.62	2.62	8.87	11.0(16.3)	2170(730~3210)
2.2+2.8+3.6+4.0	1.64	3.6~4.5	2.09	4.6~5.8	2.69	5.9~7.4	2.98	6.6~8.2	9.40(4.17~12.23)	1.55	1.97	2.53	2.81	8.86	11.0(16.3)	2170(760~3210)
2.2+2.8+3.6+5.0	1.52	3.3~4.2	1.94	4.3~5.3	2.49	5.5~6.9	3.45	7.6~9.5	9.40(4.20~12.20)	1.43	1.82	2.34	3.25	8.84	10.9(15.9)	2160(760~3140)
2.2+2.8+4.0+4.0	1.60	3.5~4.4	2.02	4.5~5.6	2.89	6.4~8.0	2.89	6.4~8.0	9.40(4.20~12.20)	1.50	1.90	2.72	2.72	8.84	10.9(16.2)	2160(760~3200)
2.2+3.6+3.6+3.6	1.60	3.5~4.4	2.60	5.7~7.2	2.60	5.7~7.2	2.60	5.7~7.2	9.40(4.07~12.20)	1.49	2.45	2.45	2.45	8.84	11.0(16.3)	2170(730~3210)
2.2+3.6+3.6+4.0	1.54	3.4~4.2	2.53	5.6~7.0	2.53	5.6~7.0	2.80	6.2~7.7	9.40(4.19~12.17)	1.45	2.37	2.37	2.63	8.82	11.0(16.2)	2170(760~3200)
2.8+2.8+2.8+2.8	2.35	5.2~6.5	2.35	5.2~6.5	2.35	5.2~6.5	2.35	5.2~6.5	9.40(3.94~12.14)	2.20	2.20	2.20	2.20	8.80	11.0(16.3)	2170(700~3220)
2.8+2.8+2.8+3.6	2.19	4.8~6.0	2.19	4.8~6.0	2.19	4.8~6.0	2.83	6.2~7.8	9.40(4.06~12.13)	2.05	2.05	2.05	2.64	8.79	11.0(16.3)	2170(730~3220)
2.8+2.8+2.8+4.0	2.12	4.7~5.8	2.12	4.7~5.8	2.12	4.7~5.8	3.04	6.7~8.4	9.40(4.19~12.25)	2.01	2.01	2.01	2.85	8.88	11.0(16.3)	2170(760~3210)
2.8+2.8+2.8+5.0	1.96	4.3~5.4	1.96	4.3~5.4	1.96	4.3~5.4	3.52	7.8~9.7	9.40(4.21~12.23)	1.85	1.85	1.85	3.31	8.86	10.9(16.2)	2160(760~3190)
2.8+2.8+3.6+3.6	2.06	4.5~5.7	2.06	4.5~5.7	2.64	5.8~7.3	2.64	5.8~7.3	9.40(4.08~12.25)	1.94	1.94	2.50	2.50	8.88	11.0(16.3)	2170(730~3210)
2.8+2.8+3.6+4.0	1.99	4.4~5.5	1.99	4.4~5.5	2.56	5.6~7.1	2.86	6.3~7.9	9.40(4.20~12.24)	1.88	1.88	2.42	2.69	8.87	11.0(16.3)	2170(760~3210)
2.8+2.8+4.0+4.0	1.94	4.3~5.3	1.94	4.3~5.3	2.76	6.1~7.6	2.76	6.1~7.6	9.40(4.21~12.25)	1.83	1.83	2.61	2.61	8.88	10.9(16.2)	2160(760~3200)
2.8+3.6+3.6+3.6	1.93	4.3~5.3	2.49	5.5~6.9	2.49	5.5~6.9	2.49	5.5~6.9	9.40(4.19~12.28)	1.82	2.36	2.36	2.36	8.90	11.0(16.5)	2170(760~3250)

■4M803AV (冷房)

室内機組合せ	冷房能力(kW)					電気特性	
	A室	B室	C室	D室	合計能力	運転電流(A)	消費電力(W)
2.2	2.20	6.1~9.2			2.20(2.06~3.85)	2.7	540(520~970)
2.8	2.80	7.7~11.7			2.80(2.06~3.85)	3.3	650(520~970)
3.6	3.60	9.9~15.0			3.60(2.09~5.02)	4.5	890(520~1430)
4.0	4.00	11.0~16.7			4.00(2.10~5.63)	5.1	1010(520~1750)
5.0	5.00	13.8~20.9			5.00(2.23~5.67)	7.0	1390(520~1700)
5.6	5.60	15.4~23.4			5.60(2.11~5.68)	8.4	1660(520~1700)
2.2+2.2	2.20	6.1~9.2	2.20	6.1~9.2	4.40(2.37~5.33)	4.9	980(520~1280)
2.2+2.8	2.20	6.1~9.2	2.80	7.7~11.7	5.00(2.37~6.27)	6.0	1190(520~1650)
2.2+3.6	2.20	6.1~9.2	3.60	9.9~15.0	5.80(2.39~7.04)	7.4	1460(520~2040)
2.2+4.0	2.20	6.1~9.2	4.00	11.0~16.7	6.20(2.40~7.08)	8.3	1650(520~2090)
2.2+5.0	2.17	6.0~9.1	4.94	13.6~20.6	7.11(2.40~7.64)	10.3	2040(520~2350)
2.2+5.6	2.10	5.8~8.8	5.34	14.7~22.3	7.44(2.40~7.90)	11.4	2250(520~2560)
2.8+2.8	2.80	7.7~11.7	2.80	7.7~11.7	5.60(2.37~6.27)	7.2	1420(520~1650)
2.8+3.6	2.80	7.7~11.7	3.60	9.9~15.0	6.40(2.39~7.04)	8.8	1740(520~2040)
2.8+4.0	2.80	7.7~11.7	4.00	11.0~16.7	6.80(2.40~7.39)	9.8	1940(520~2290)
2.8+5.0	2.67	7.4~11.2	4.77	13.1~19.9	7.44(2.69~7.89)	11.4	2250(520~2560)
2.8+5.6	2.59	7.1~10.8	5.18	14.3~21.7	7.77(2.69~8.12)	12.4	2460(520~2730)
3.6+3.6	3.56	9.8~14.9	3.56	9.8~14.9	7.11(2.69~7.64)	10.6	2090(520~2450)
3.6+4.0	3.47	9.6~14.5	3.86	10.6~16.1	7.33(2.70~7.82)	11.3	2240(520~2610)
3.6+5.0	3.30	9.1~13.8	4.58	12.6~19.1	7.88(2.70~8.26)	12.9	2560(520~2890)
3.6+5.6	3.13	8.6~13.1	4.87	13.4~20.4	8.00(2.71~8.37)	13.2	2620(520~2950)
4.0+4.0	3.78	10.4~15.8	3.78	10.4~15.8	7.55(2.70~7.98)	12.1	2390(520~2710)
4.0+5.0	3.56	9.8~14.9	4.44	12.2~18.6	8.00(2.85~8.36)	13.5	2670(520~3000)
4.0+5.6	3.33	9.2~13.9	4.67	12.9~19.5	8.00(2.71~8.37)	13.2	2620(520~2950)
5.0+5.0	4.00	11.0~16.7	4.00	11.0~16.7	8.00(2.86~8.36)	13.0	2570(520~2850)
5.0+5.6	3.77	10.4~15.8	4.23	11.7~17.7	8.00(2.72~8.36)	13.0	2570(520~2850)
5.6+5.6	4.00	11.0~16.7	4.00	11.0~16.7	8.00(2.72~8.37)	12.7	2520(520~2850)
2.2+2.2+2.2	2.20	6.1~9.2	2.20	6.1~9.2	6.60(2.58~8.76)	8.0	1590(520~2590)
2.2+2.2+2.8	2.17	6.0~9.1	2.17	6.0~9.1	7.11(2.89~8.76)	9.0	1790(520~2590)
2.2+2.2+3.6	2.08	5.7~8.7	2.08	5.7~8.7	7.55(2.90~8.82)	9.8	1940(520~2650)
2.2+2.2+4.0	2.04	5.6~8.5	2.04	5.6~8.5	7.77(2.91~8.85)	10.3	2040(520~2650)
2.2+2.2+5.0	1.87	5.2~7.8	1.87	5.2~7.8	8.00(2.92~8.87)	10.9	2160(520~2600)
2.2+2.2+5.6	1.76	4.8~7.4	1.76	4.8~7.4	8.00(2.92~8.88)	10.9	2160(520~2600)
2.2+2.8+2.8	2.10	5.8~8.8	2.67	7.4~11.2	7.44(2.89~8.76)	9.5	1890(520~2590)
2.2+2.8+3.6	2.02	5.6~8.4	2.57	7.1~10.7	7.88(2.90~8.82)	10.6	2100(520~2650)
2.2+2.8+4.0	1.96	5.4~8.2	2.49	6.9~10.4	8.00(2.91~8.85)	11.1	2200(520~2650)
2.2+2.8+5.0	1.76	4.8~7.4	2.24	6.2~9.4	8.00(2.92~8.87)	10.9	2160(520~2600)
2.2+2.8+5.6	1.66	4.6~6.9	2.11	5.8~8.8	8.00(2.92~9.12)	10.9	2160(520~2780)
2.2+3.6+3.6	1.88	5.2~7.9	3.06	8.4~12.8	8.00(2.92~8.87)	10.9	2150(520~2650)
2.2+3.6+4.0	1.80	5.0~7.5	2.94	8.1~12.3	8.00(2.92~8.90)	11.1	2200(520~2710)
2.2+3.6+5.0	1.63	4.5~6.8	2.67	7.4~11.2	8.00(2.93~9.17)	10.9	2160(520~2830)
2.2+3.6+5.6	1.54	4.2~6.4	2.53	7.0~10.6	8.00(2.93~9.41)	10.9	2160(530~3010)
2.2+4.0+4.0	1.72	4.7~7.2	3.14	8.7~13.1	8.00(2.93~9.18)	11.1	2200(520~2880)
2.2+4.0+5.0	1.57	4.3~6.6	2.86	7.9~12.0	8.00(2.93~9.44)	10.9	2160(530~3010)
2.2+4.0+5.6	1.49	4.1~6.2	2.71	7.5~11.3	8.00(2.93~9.44)	10.9	2160(530~3010)
2.2+5.0+5.0	1.44	4.0~6.0	3.28	9.0~13.7	8.00(2.94~9.61)	10.7	2110(530~3080)
2.2+5.0+5.6	1.38	3.8~5.8	3.13	8.6~13.1	8.00(2.94~9.62)	10.7	2110(530~3090)
2.2+5.6+5.6	1.32	3.6~5.5	3.34	9.2~14.0	8.00(2.94~9.76)	10.7	2110(530~3210)
2.8+2.8+2.8	2.59	7.1~10.8	2.59	7.1~10.8	7.77(2.89~8.76)	10.3	2040(520~2590)
2.8+2.8+3.6	2.43	6.7~10.2	2.43	6.7~10.2	8.00(2.90~8.82)	10.9	2150(520~2650)
2.8+2.8+4.0	2.33	6.4~9.7	2.33	6.4~9.7	8.00(2.91~8.85)	11.1	2200(520~2650)
2.8+2.8+5.0	2.11	5.8~8.8	2.11	5.8~8.8	8.00(2.92~9.12)	10.9	2160(520~2770)
2.8+2.8+5.6	2.00	5.5~8.4	2.00	5.5~8.4	8.00(2.92~9.36)	10.9	2160(520~2950)
2.8+3.6+3.6	2.24	6.2~9.4	2.88	7.9~12.0	8.00(2.92~8.87)	10.9	2150(520~2650)
2.8+3.6+4.0	2.15	5.9~9.0	2.77	7.6~11.6	8.00(2.92~9.15)	11.1	2200(520~2880)
2.8+3.6+5.0	1.96	5.4~8.2	2.53	7.0~10.6	8.00(2.93~9.41)	10.9	

4 室用

室内機組合せ	冷房能力(kW)								電気特性			
	A室		B室		C室		D室		合計能力	運転電流(A)	消費電力(W)	
3室	3.6+4.0+4.0	2.48	6.8~10.4	2.76	7.6~11.5	2.76	7.6~11.5			8.00(2.94~9.47)	11.1	2200(530~3120)
	3.6+4.0+5.0	2.29	6.3~9.6	2.54	7.0~10.6	3.17	8.7~13.2			8.00(2.94~9.64)	10.9	2160(530~3190)
	3.6+4.0+5.6	2.18	6.0~9.1	2.42	6.7~10.1	3.40	9.4~14.2			8.00(2.94~9.79)	10.9	2160(530~3320)
	3.6+5.0+5.0	2.12	5.8~8.9	2.94	8.1~12.3	2.94	8.1~12.3			8.00(2.95~9.81)	10.7	2110(530~3270)
	4.0+4.0+4.0	2.67	7.4~11.2	2.67	7.4~11.2	2.67	7.4~11.2			8.00(2.94~9.49)	11.1	2200(530~3120)
	4.0+4.0+5.0	2.46	6.8~10.3	2.46	6.8~10.3	3.08	8.5~12.9			8.00(2.95~9.67)	10.9	2160(530~3260)
4室	4.0+4.0+5.6	2.35	6.5~9.8	2.35	6.5~9.8	3.30	9.1~13.8			8.00(2.95~9.82)	10.9	2160(530~3320)
	2.2+2.2+2.2+2.2	2.00	5.5~8.4	2.00	5.5~8.4	2.00	5.5~8.4	2.00	5.5~8.4	8.00(2.70~9.40)	9.8	1950(530~2620)
	2.2+2.2+2.2+2.8	1.87	5.2~7.8	1.87	5.2~7.8	1.87	5.2~7.8	2.39	6.6~10.0	8.00(2.86~9.40)	9.8	1950(530~2620)
	2.2+2.2+2.2+3.6	1.73	4.8~7.2	1.73	4.8~7.2	1.73	4.8~7.2	2.81	7.7~11.7	8.00(3.03~9.70)	9.8	1950(530~2810)
	2.2+2.2+2.2+4.0	1.66	4.6~6.9	1.66	4.6~6.9	1.66	4.6~6.9	3.02	8.3~12.6	8.00(3.03~9.72)	9.8	1950(530~2800)
	2.2+2.2+2.2+5.0	1.52	4.2~6.4	1.52	4.2~6.4	1.52	4.2~6.4	3.44	9.5~14.4	8.00(3.04~9.99)	9.8	1950(530~2940)
	2.2+2.2+2.2+5.6	1.44	4.0~6.0	1.44	4.0~6.0	1.44	4.0~6.0	3.68	10.1~15.4	8.00(3.04~10.16)	9.8	1950(530~3010)
	2.2+2.2+2.8+2.8	1.76	4.8~7.4	1.76	4.8~7.4	2.24	6.2~9.4	2.24	6.2~9.4	8.00(3.03~9.40)	9.8	1950(530~2620)
	2.2+2.2+2.8+3.6	1.63	4.5~6.8	1.63	4.5~6.8	2.07	5.7~8.7	2.67	7.4~11.2	8.00(3.03~9.70)	9.8	1950(530~2810)
	2.2+2.2+2.8+4.0	1.57	4.3~6.6	1.57	4.3~6.6	2.00	5.5~8.4	2.86	7.9~12.0	8.00(3.03~9.98)	9.8	1950(530~2930)
	2.2+2.2+2.8+5.0	1.44	4.0~6.0	1.44	4.0~6.0	1.84	5.1~7.7	3.28	9.0~13.7	8.00(3.04~10.15)	9.8	1950(530~3000)
	2.2+2.2+2.8+5.6	1.38	3.8~5.8	1.38	3.8~5.8	1.75	4.8~7.3	3.49	9.6~14.6	8.00(3.04~10.16)	9.8	1950(530~3010)
	2.2+2.2+3.6+3.6	1.52	4.2~6.4	1.52	4.2~6.4	2.48	6.8~10.4	2.48	6.8~10.4	8.00(3.04~9.99)	9.8	1950(530~2930)
	2.2+2.2+3.6+4.0	1.47	4.0~6.1	1.47	4.0~6.1	2.40	6.6~10.0	2.66	7.3~11.1	8.00(3.04~10.00)	9.8	1950(530~2990)
	2.2+2.2+3.6+5.0	1.35	3.7~5.6	1.35	3.7~5.6	2.22	6.1~9.3	3.08	8.5~12.9	8.00(3.04~10.18)	9.8	1950(530~3070)
	2.2+2.2+3.6+5.6	1.29	3.6~5.4	1.29	3.6~5.4	2.12	5.8~8.9	3.30	9.1~13.8	8.00(3.04~10.34)	9.8	1950(530~3130)
	2.2+2.2+4.0+4.0	1.42	3.9~5.9	1.42	3.9~5.9	2.58	7.1~10.8	2.58	7.1~10.8	8.00(3.04~10.18)	9.8	1950(530~3120)
	2.2+2.2+4.0+5.0	1.31	3.6~5.5	1.31	3.6~5.5	2.39	6.6~10.0	2.99	8.2~12.5	8.00(3.04~10.34)	9.8	1950(530~3130)
	2.2+2.8+2.8+2.8	1.67	4.6~7.0	2.11	5.8~8.8	2.11	5.8~8.8	2.11	5.8~8.8	8.00(3.03~9.68)	9.8	1950(530~2740)
	2.2+2.8+2.8+3.6	1.54	4.2~6.4	1.96	5.4~8.2	1.96	5.4~8.2	2.54	7.0~10.6	8.00(3.03~9.97)	9.8	1950(530~2930)
	2.2+2.8+2.8+4.0	1.49	4.1~6.2	1.90	5.2~7.9	1.90	5.2~7.9	2.71	7.5~11.3	8.00(3.03~9.98)	9.8	1950(530~2930)
	2.2+2.8+2.8+5.0	1.38	3.8~5.8	1.75	4.8~7.3	1.75	4.8~7.3	3.12	8.6~13.0	8.00(3.04~10.15)	9.8	1950(530~3000)
	2.2+2.8+2.8+5.6	1.31	3.6~5.5	1.67	4.6~7.0	1.67	4.6~7.0	3.35	9.2~14.0	8.00(3.04~10.32)	9.8	1950(530~3130)
	2.2+2.8+3.6+3.6	1.44	4.0~6.0	1.84	5.1~7.7	2.36	6.5~9.9	2.36	6.5~9.9	8.00(3.04~10.16)	9.8	1950(530~3060)
	2.2+2.8+3.6+4.0	1.40	3.9~5.9	1.78	4.9~7.4	2.29	6.3~9.6	2.53	7.0~10.6	8.00(3.04~10.17)	9.8	1950(530~3060)
	2.2+2.8+3.6+5.0	1.29	3.6~5.4	1.65	4.5~6.9	2.12	5.8~8.9	2.94	8.1~12.3	8.00(3.04~10.33)	9.8	1950(530~3130)
	2.2+2.8+4.0+4.0	1.35	3.7~5.6	1.73	4.8~7.2	2.46	6.8~10.3	2.46	6.8~10.3	8.00(3.04~10.18)	9.8	1950(530~3120)
	2.2+3.6+3.6+3.6	1.34	3.7~5.6	2.22	6.1~9.3	2.22	6.1~9.3	2.22	6.1~9.3	8.00(3.04~10.18)	9.8	1950(530~3060)
2.2+3.6+3.6+4.0	1.31	3.6~5.5	2.15	5.9~9.0	2.15	5.9~9.0	2.39	6.6~10.0	8.00(3.04~10.35)	9.8	1950(530~3180)	
2.8+2.8+2.8+2.8	2.00	5.5~8.4	2.00	5.5~8.4	2.00	5.5~8.4	2.00	5.5~8.4	8.00(3.03~9.94)	9.8	1950(530~2930)	
2.8+2.8+2.8+3.6	1.87	5.2~7.8	1.87	5.2~7.8	1.87	5.2~7.8	2.39	6.6~10.0	8.00(3.03~9.97)	9.8	1950(530~2930)	
2.8+2.8+2.8+4.0	1.81	5.0~7.6	1.81	5.0~7.6	1.81	5.0~7.6	2.57	7.1~10.7	8.00(3.03~10.14)	9.8	1950(530~3060)	
2.8+2.8+2.8+5.0	1.67	4.6~7.0	1.67	4.6~7.0	1.67	4.6~7.0	2.99	8.2~12.5	8.00(3.04~10.31)	9.8	1950(530~3130)	
2.8+2.8+3.6+3.6	1.75	4.8~7.3	1.75	4.8~7.3	2.25	6.2~9.4	2.25	6.2~9.4	8.00(3.04~10.16)	9.8	1950(530~3060)	
2.8+2.8+3.6+4.0	1.70	4.7~7.1	1.70	4.7~7.1	2.18	6.0~9.1	2.42	6.7~10.1	8.00(3.04~10.33)	9.8	1950(530~3180)	
2.8+2.8+4.0+4.0	1.65	4.5~6.9	1.65	4.5~6.9	2.35	6.5~9.8	2.35	6.5~9.8	8.00(3.04~10.34)	9.8	1950(530~3180)	
2.8+3.6+3.6+3.6	1.64	4.5~6.9	2.12	5.8~8.9	2.12	5.8~8.9	2.12	5.8~8.9	8.00(3.04~10.34)	9.8	1950(530~3190)	

■4M803AV (暖房・床暖房接続)

[] 内の組合せは床暖房ユニットを示します。

室内機・床暖房ユニット組合せ	暖房/加熱能力 (外気7℃) (kW)								暖房/加熱低温能力 (外気2℃) (kW)					電気特性		
	A室		B室		C室		D室		合計能力		A室	B室	C室	D室	合計能力	運転電流(A)
1室	[5.0]	5.00	16.4						5.00(2.47~5.95)	4.31				4.31	7.4(8.4)	1470(560~1660)
	[7.0]	7.00	22.9						7.00(2.47~8.25)	5.97				5.97	9.8(11.6)	1940(490~2300)
2室	[5.0]+2.2	5.00	16.4	3.20	7.1~8.8				8.20(2.48~10.04)	4.43	2.84			7.27	10.5(13.8)	2080(520~2740)
	[5.0]+2.8	5.00	16.4	4.00	8.8~11.0				9.00(2.48~10.79)	4.34	3.47			7.81	11.7(14.9)	2310(510~2950)
	[5.0]+3.6	4.70	15.4	4.70	10.4~12.9				9.40(2.55~11.56)	4.19	4.19			8.37	12.1(16.0)	2390(520~3160)
	[5.0]+4.0	4.43	14.5	4.97	11.0~13.7				9.40(3.21~11.56)	3.95	4.42			8.37	11.9(15.8)	2360(660~3120)
	[5.0]+5.0	3.88	12.7	5.52	12.2~15.2				9.40(3.24~12.02)	3.60	5.11			8.71	11.6(16.2)	2300(650~3210)
	[5.0]+5.6	3.70	12.1	5.70	12.6~15.7				9.40(3.32~12.17)	3.47	5.34			8.81	11.5(16.3)	2280(660~3230)
	[7.0]+2.2	6.45	21.1	2.95	6.5~8.1				9.40(3.21~11.56)	5.74	2.63			8.37	12.0(15.9)	2380(660~3150)
	[7.0]+2.8	5.98	19.6	3.42	7.5~9.4				9.40(3.22~11.56)	5.33	3.04			8.37	11.8(15.7)	2340(650~3100)
	[7.0]+3.6	5.48	18.0	3.92	8.6~10.8				9.40(3.24~12.02)	5.08	3.63			8.71	11.6(16.2)	2300(650~3210)
	[7.0]+4.0	5.22	17.1	4.18	9.2~11.5				9.40(3.27~12.02)	4.84	3.87			8.71	11.5(16.1)	2280(650~3190)
3室	[7.0]+5.0	4.67	15.3	4.73	10.4~13.0				9.40(3.55~12.18)	4.38	4.44			8.82	11.3(16.1)	2240(700~3180)
	[7.0]+5.6	4.48	14.7	4.92	10.8~13.6				9.40(3.63~12.48)	4.30	4.74			9.04	11.2(16.7)	2220(720~3300)
	[5.0]+[5.0]	4.70	15.4	4.70	15.4				9.40(2.55~11.56)	4.19	4.19			8.37	12.4(16.1)	2250(560~3180)
	[5.0]+2.2+2.2	4.12	13.5	2.64	5.8~7.3	2.64	5.8~7.3		9.40(3.22~11.57)	3.68	2.35	2.35		8.38	11.7(15.6)	2320(650~3080)
	[5.0]+2.2+2.8	3.85	12.6	2.47	5.4~6.8	3.08	6.8~8.5		9.40(3.24~12.03)	3.57	2.28	2.86		8.71	11.6(16.2)	2290(650~3210)
	[5.0]+2.2+3.6	3.56	11.7	2.28	5.0~6.3	3.56	7.8~9.8		9.40(3.24~12.17)	3.34	2.13	3.34		8.81	11.5(16.3)	2280(640~3230)
	[5.0]+2.2+4.0	3.41	11.2	2.18	4.8~6.0	3.81	8.4~10.5		9.40(3.27~12.16)	3.19	2.04	3.58		8.81	11.3(16.1)	2240(650~3190)
	[5.0]+2.2+5.0	3.07	10.1	1.97	4.3~5.4	4.36	9.6~12.0		9.40(3.70~12.46)	2.94	1.89	4.19		9.02	11.1(16.4)	2200(730~3240)
	[5.0]+2.2+5.6	2.96	9.7	1.89	4.2~5.2	4.55	10.0~12.5		9.40(3.78~12.60)	2.87	1.84	4.42		9.13	11.1(16.5)	2190(740~3270)
	[5.0]+2.8+2.8	3.62	11.9	2.89	6.4~8.0	2.89	6.4~8.0		9.40(3.25~12.18)	3.40	2.71	2.71		8.82	11.5(16.3)	2270(650~3220)
	[5.0]+2.8+3.6	3.36	11.0	2.68	5.9~7.4	3.36	7.4~9.3		9.40(3.27~12.17)	3.14	2.52	3.15		8.81	11.4(16.1)	2250(650~3190)
	[5.0]+2.8+4.0	3.21	10.5	2.58	5.7~7.1	3.61	8.0~9.9		9.40(3.55~12.47)	3.10	2.47	3.46		9.03	11.2(16.5)	2220(700~3270)
	[5.0]+2.8+5.0	2.91	9.5	2.34	5.2~6.4	4.15	9.1~11.4		9.40(3.27~12.61)	2.83	2.27	4.03		9.13	11.1(16.5)	2190(730~3270)
	[5.0]+2.8+5.6	2.82	9.2	2.25	5.0~6.2	4										